


FIG. 1
(PRIOR ART)



BOOKS





FIG. 3

⋮	⋮
FIRST	SECOND
COLUME	COLUME
LINE	LINE

FIG. 4



005227-92009.60

[illegible]

(37, 29, 51) (40, 28, 53) (98, 87, 111) (95, 89, 110) (36, 27, 58) → 제2 라인

(Rdiff_ver, Gdiff_ver, Bdiff_ver);(5, 4, 1) (40, 28, 53) (98, 87, 111) (95, 89, 110) (36, 27, 58)
(Rq, Gq, Bq) ;(1, 1, 0) (40, 28, 53) (98, 87, 111) (95, 89, 110) (36, 27, 58)

(Rdiff_ver, Gdiff_ver, Bdiff_ver);	(1, 1, 0)	(5, 5, 1)	(98, 87, 111)	(95, 89, 110)	(36, 27, 58)
(Rn, Gn, Bn)	;	(1, 1, 0)	(6, 5, 2)	(98, 87, 111)	(95, 89, 110)
(Rq, Gq, Bq)	;	(1, 1, 0)	(1, 1, 0)	(98, 87, 111)	(95, 89, 110)

(Rdiff_ver, Gdiff_ver, Bdiff_ver);	(1, 1, 0)	(1, 1, 0)	(1, 2, 1)	(95, 89, 110)	(36, 27, 58)
(Rn, Gn, Bn)	;	(1, 1, 0)	(1, 1, 0)	(3, 3, 3)	(95, 89, 110) (36, 27, 58)
(Rq, Gq, Bq)	;	(1, 1, 0)	(1, 1, 0)	(0, 0, 0)	(95, 89, 110) (36, 27, 58)

(Rdiff_ver, Gdiff_ver, Bdiff_ver);	(1, 1, 0)	(1, 1, 0)	(0, 0, 0)	(1, 1, 2)	(36, 27, 58)
(Rn, Gn, Bn)	;	(1, 1, 0)	(1, 1, 0)	(0, 0, 0)	(4, 4, 5) (36, 27, 58)
(Rq, Gq, Bq)	;	(1, 1, 0)	(1, 1, 0)	(0, 0, 0)	(1, 1, 1) (36, 27, 58)

```
(Rdiff_ver, Gdiff_ver, Bdiff_ver):(1, 1, 0) (1, 1, 0) (0, 0, 0) (1, 1, 1) (1, 1, 1)
(Rn, Gn, Bn)                        :(1, 1, 0) (1, 1, 0) (0, 0, 0) (1, 1, 1) (1, 1, 2)
(Rq, Gq, Bq)                        :(1, 1, 0) (1, 1, 0) (0, 0, 0) (1, 1, 1) (0, 0, 0)
```

(Rq, Gq, Bq) ; (1, 1, 0) (1, 1, 0) (0, 0, 0) (1, 1, 1) (0, 0, 0)

(Rdiff_hor, Gdiff_hor, Bdiff_hor);(1, 1, 0) (0, 0, 0) (-1, -1, 0) (1, 1, 1) (-1, -1, -1)